

8. Rezultate obținute în cercetare: lucrări publicate în ultimii ani, în ordine descrescătoare, începând cu anul 2021 (cărți, lucrări publicate în reviste clasificate de CNCSIS, cu menționarea monitorizării ISI, și a factorului de impact, unde este cazul)

Departamentul 5: Electrochimie și Coroziune
Electrochemistry and Corrosion

Cărți

1. Juan José García-Guzmán, David López-Iglesias, Mariana Marin, Cecilia Lete, Stelian Lupu, José María Palacios Santander, Laura Cubillana-Aguilera, Advanced Biosensors for Health Care Applications, Elsevier, 2019, 41 pg.
2. S. Lupu, P. C. Balaure, C. Lete, C. Mihailciuc, Biocomposite nanomaterials for electrochemical biosensors, in Nano-aspects of Electrochemistry: Electrochemical Synthesis Methods, Properties and Characterization Techniques, Springer-Verlag GmbH, 2015, invited chapter;
3. S. Lupu, C. Lete, B. Lakard, J.-Y. Hihn, D. Sánchez-Molas, F. J. Del Campo, Electrochemical deposition and patterning of composite nanomaterials for electrochemical sensors and biosensors in Comprehensive Guide for Nanocoatings Technology, Nova Science Publishers, 2015, invited chapter;
4. A. Banu, O.Radovici, M. Marcu, Bazele Stiintifice ale Ingineriei Calitatii Mediului, EdituraPrintech (2010) ISBN 978-606-521-477-4.
5. A. Banu, M. Marcu, Elemente de Calcul si Aplicatii pentru Ingineria Calitative Mediului, EdituraPrintech (2010) ISBN 978-606-521-478-1.
6. V. Branzoi, F. Branzoi, L. Pilan, Aspecte moderne privind electrochimia aplicata si coroziunea,Editura Printech (2009).
7. M. Badea, M.C. Cheregi, C. Lete, S.Lupu, Progrese in realizarea senzorilor si biosenzorilor pentru controlul calitatii alimentelor, Ed. Printech, Bucuresti, 2008;
8. S. Lupu, C. Lete, C. Mihailciuc, A. Razus, L. Bârzan, Senzori electrochimici pentru analize clinice de mediu”, Ed. Printech, Bucuresti, 2008;
9. V. Branzoi, F Branzoi, L. Pilan, Caracteristici generale privind coroziunea si protectia anticorozivaa metalelor in diverse medii, Ed. PRINTECH (2006).
10. N. Spataru, D.A. Tryk, A. Fujishima, Anodic voltammetry at conductive diamond electrodes and its analytical applications (capitol carte) – in Diamond Electrochemistry, A. Fujishima, Y. Einaga, T.N. Rao, D.A. Tryk Editors, Elsevier, Amsterdam (2005), ISBN 0-444-51908-4, 287-308.
11. V. Branzoi, F. Branzoi Consideratii generale asupra coroziunii aluminiului si a aliajelor sale indiferite medii, Ed. PRINTECH (2004).
12. V. Branzoi, F. Branzoi, L. Pilan, Computational Methods and Experiments in Materials Characterisations II, WIT PRESS Southampton, Boston (2004).

Lucrări publicate în reviste clasificate ISI/Papers in ISI ranked journals

2021

1. Neacsu, I.A.; Leau, S.-A.; Marin, S.; Holban, A.M.; Vasile, B.-S.; Nicoara, A.-I.; Ene, V.L.; Bleotu, C.; Albu Kaya, M.G.; Ficai, A. Collagen-Carboxymethylcellulose Biocomposite Wound-Dressings with Antimicrobial Activity. *Materials* 2021, 14, 1153. <https://doi.org/10.3390/ma14051153>, I.F.=3.62;
2. F. Khoshnaw, C. Marinescu A. Sofronia C. Munteanu, M. Marcu, L.E. Barbulescu, C. Ciobota, E.M. Cojocaru, S. Tanasescu, A. Paraschiv, Microstructural and thermoanalytical characterization of super duplex stainless steel - UNS S32760-F55, *Mater. Today Commun.*, 28, 2021, 102644, I.F.=2.87;

2020

1. Lete C., Chelu M., Marin, M., Preda S. Anastasescu M., Mihaiu S., Dinculescu S, Moldovan, C., Gartner, M. Nitrite electrochemical sensing platform based on tin oxide films. *Sensors and Actuators, B: Chemical*, 316, 128102, I.F. = 7.1;
2. Patrascu, B., Lete, C., Popescu, C., Madalan, A., Ionita, P. Synthesis and spectral comparison of electronic and molecular properties of some hydrazines and hydrazyl free radicals. *Arkivoc*, 2020(6), 011.119, I.F. = 1;
3. N. Spătaru, J.M. Calderon-Moreno, P. Osiceanu, T. Kondo, C. Terashima, M. Popa, M.M. Radu, D. Culita, L. Preda, M. A. Mihai, & T. Spătaru. Conductive diamond powder inclusion in drop-casted graphene for enhanced effectiveness as electrocatalyst substrate. *Chemical Engineering Journal*, 402, 126258, I.F. = 10.652;
4. L. Preda, N. Spataru, J. M. Calderon Moreno, S. Somacescu, M. Marcu. Graphene Incorporation as a Propitious Approach for Improving the Oxygen Reduction Reaction (ORR) Activity of Self-assembled Polycrystalline NiCo₂O₄-iO. *Electrocatalysis* 11, 443–453 (2020), I.F.=2.587;
5. A. Banu, A. Paraschiv, S. Petrescu, I. Atkinson, E. M. Anghel, M. Marcu. Isothermal Oxidation Behavior of Novel Al₂O₃ / NiCrAlY / Ti₃Al System at 850°C. *Rev. Chim.*, 71 (5), 2020, 106-116, I.F.=1.755;
6. E. I. Neacsu, V. Constantin, M. Burada, C. Donath, V. Soare, A. M. Popescu. Microstructure and Corrosion Behaviour of ZnNiP Thin Film Alloys in Deep Eutectic Solvent Ionic Liquids. *Rev.Chim.(Bucharest)* , 71(1), p.28-38, 2020, I.F.=1.755;
7. A. M. Popescu, V. Soare, O. Demidenko, J. M. Calderon Moreno, E. I. Neacsu, C. Donath, M. Burada, I. Constantin. Recovery of Silver and Gold From Electronic Waste by Electrodeposition in Ethaline Ionic Liquid. *Rev.Chim.(Bucharest)*, 71(1), p.122-132, 2020, F.I.=1.755;

8. E. I. Neacsu, V. Constantin, K. Yanushkevich, C. Donath, M. Anastasescu, A.M. Popescu. Surface modification on Ti-6Al-4V alloy during corrosion in a high temperature ionic liquid. *Rev. Chim.(Bucharest)*,71 (4), p.207-2019, 2020, I.F.=1.755;
9. Vetcher G., Govor O., Demidenko, V. Constantin, A. M. Popescu. Electromagnetic characteristics and corrosion resistance of new magnetosoft materials based on encapsulated iron powders. *Chem.Res.Chin.Univ.*, 2020, DOI: 10.1007/s40242-020-0250-8, I.F.=1.063;

2019

1. Karabozhikova, V., Tsakova, V., Lete, C., Marin, M., Lupu,S. Poly(3,4-ethylenedioxythiophene)-modified electrodes for tryptophan voltammetric sensing. *Journal of Electroanalytical Chemistry*, 2019, 848,113309, I.F. = 3.22;
2. Nakova, A., E. M. Anghel, Lete, C., Lupu, S., Boijadjieva-Scherzer, T., Tsakova, V. Sinusoidal voltage electrodeposition of Graphite electrode-assisted electroless deposition of palladium in the absence and presence of poly(3,4-ethylenedioxythiophene) coatings. *Synthetic Metals* 247, 2019, pp. 18-25, I. F.= 2.87;
3. García-Guzmán, J.J., López-Iglesias, D., Cubillana-Aguilera, L., Lupu, S., Lete, C., Palacios-Santander, J.M., Bellido-Milla, D. Assessment of the Polyphenol Indices and Antioxidant Capacity for Beers and Wines Using a Tyrosinase-Based Biosensor Prepared by Sinusoidal Current Method. *Sensors*, 19(1), 2019,66, I. F. = 3.02;
4. C. Lete, M. Marin, E. M. Anghel, L. Preda, C. Matei, S. Lupu. Sinusoidal voltage electrodeposition of PEDOT-Prussian blue nanoparticles composite and its application to amperometric sensing of H₂O₂ in human blood. *Materials Science and Engineering C*, 102, 2019, 661-669, I.F.= 4.96;
5. A. Băran, G. Stîngă , F. Brânzoi. Micellar size changing in the systems of octaethylene glycol mono(n-dodecyl) ether without and with poly (acrylic acid). *Journal of Molecular Liquids* 284 (2019) 709–717, I.F. = 4.6;
6. M. M. Radu, N. Becherescu, T. Spataru, P. Osiceanu, M. A .Mihai, J. M. Calderon- Moreno, N. Spataru, A. Fujishima. Improved suitability as catalyst support and more efficient charge carrier separation of native air-formed TiO₂ films by mild laser treatment. *Journal of Power Sources*, 437 (2019) 226921, I.F.= 7.467;
7. Harada, Y., Hishinuma, R., Spătaru, N, Sakurai, Y., Miyasaka, K., Terashima, C., Uetsuka, H., Suzuki, N., Fujishima, A., Kondo, T., Yuasa, M. High-speed synthesis of heavily boron-doped diamond films by in-liquid microwave plasma CVD, *Diamond and Related Materials*, 92, 2019, 41-46, I.F.=2.290;

8. A. Banu, M. Marcu, O. Trusca, A. Paraschiv, E. M. Anghel, I. Atkinson. Microstructural Characterization of NiCrFeSiBC Coating During Long-Term Isothermal Oxidation at 850°C. *J. of Thermal Spray Technology*, 2019, 28 (6) 1275–1283, I.F.=2.126;
9. Bédouin Y, Gordin DM, Pellen-Mussi P, Pérez F, Tricot-Doleux S, Vasilescu C, Drob SI, Chauvel-Lebret D, Gloriant T. Enhancement of the biocompatibility by surface nitriding of a low-modulus titanium alloy for dental implant applications. *J Biomed Mater Res B Appl Biomater.* 2019;107(5):1483-1490, I.F.=2.674;
10. F. Branzoi, A. Baran. The inhibition effect of some organic compounds on corrosion of brass and carbon steel in aggressive medium. *Int. J. Electrochem. Sci.* 14, 2019, 2780-2803, I. F.=1.5;
11. O. Demidenko, A. Zhyvulka, K. Yanushkevich, A. Galias, V. Constantin, E.I. Neacsu, C. Donath, A. M. Popescu. Magnetic properties of stainless steels under corrosive action of based on choline chloride ionic liquids. *Journal of Magnetism and Magnetic Materials*, 477, 74-76, 2019, I.F.=2.683;
12. V. Malyshev, A. Gab, A. Survilas, C. Donath, E. I. Neacsu, V. Constantin, A. M. Popescu. Electroplating of Co-W and Co-Mo alloys from Na₂WO₄ ionic melts. *Rev.Chim.(Bucharest)*,70(3), 871-874, 2019, I.F.=1.605;
13. I. Chervonyj, D. Listopad, A. Gab, V. Malyshev, E. I. Neacșu, C. Donath*, V. Constantin, A. M. Popescu. On thermodynamic possibility of retort steel components interaction with titanium chlorides and oxygen during Kroll process. *Rev.Chim.(Bucharest)*, 70(6), 1924-1927, 2019, I.F.=1.605;
14. I. Chervonyj, D. Listopad, D. Shakhnin, V. Malyshev, C. Donath, E. I. Neacșu, V. Constantin, A. M. Popescu. X-ray diffraction and spectral investigation of the consequences of obtaining impurities from a material of a reactor to obtain the titanium sponge. *Rev.Chim.(Bucharest)*, 70(7), 2352-2354, 2019 , I.F.=1.605;
15. A. M. Popescu, O. Demidenko, K. Yanushkevich, E. I. Neacșu, C. Donath , A. Galyas, A. Zhyvulka, V. Constantin. Corrosion Process of Uranus B6 and Monel 400 Special Alloys in Deep Eutectic Solvents. *Rev.Chim.(Bucharest)*,70(8), 2968-2972, 2019, I.F.=1.605;
16. A. Banu, M. Marcu, C. Juganaru, P. Osiceanu, M. Anastasescu, L. Capra. Corrosion behavior of CoCrMoW cast alloy in lactic acid environment. *Arabian Journal of Chemistry*, 12 (8), 2019, 2007-2016, I.F.=4.76;

2018

1. J. J. G. Guzmán, L. C. Aguilera, D. B. Milla, I. N. Rodríguez, C. Lete, J. M. P.Santander, S. Lupu Development of Sonogel-Carbon based biosensors using sinusoidal voltages and currents methods. *Sensors and Actuators B: Chemical*, 255, 2018, 1525-1535; J; I. F. = 5.7;

2. Buica, G.-O., Lazar, I.-G., Birzan, L, Lete, C., Prodana, M., Enachescu, M., Tecuceanu, V., Stoian, A.B., Ungureanu, E.-M. Azulene-ethylenediaminetetraacetic acid: A versatile molecule for colorimetric and electrochemical sensors for metal ions. *Electrochimica Acta*, 263, 382-390; 2018; I. F. = 5.1;
3. Voicescu, M., Ionescu, S., Lete, C. Physicochemical and Antioxidant Properties of Riboflavin in Dextran70/HSA Systems. *Journal of Fluorescence* 28(4), pp. 889-896; 2018; I. F. = 1.6;
4. M. Bem, R. Baratoiu, C. Radutiu, C. Lete, S. Mocanu, G. Ionita, S. Lupu, M.T. Caproiu, A.M. Madalan, B. Patrascu, I. Zarafu, P. Ionita. Synthesis and structural characterization of some novel methoxyamino derivatives with acid-base and redox behavior. *Journal of Molecular Structure*, 1173, pp. 291-299, 2018 ; I. F. = 1.9;
5. M. Gartner, C. Lete, M. Chelu, H. Stroescu, M. Zaharescu, C. Moldovan, C. Brasoveanu, M. Gheorghe, S. Gheorghe, A. Duta, Z. Labadi, B. Kalas, A. Saftics, M. Fried, P. Petrik, E. Tóth, H. Jankovics, F. Vonderviszt. Electrochemical sensors for detection of different ionic species (nitrites/nitrates and heavy metals) in natural water sources. *Proceedings of the International Semiconductor Conference, CAS 2018-October*, 8539739, pp. 329-332;
6. F. Branzoi, Z. Pahom, G. Nechifor, Electrochemical behaviour of new polymer composite coatings on carbon steel in acid medium U.P.B. Sci. Bull., Series B, Vol. 80, Iss. 3, 2018, I.F. = 0.5;
7. N. Spataru, C. Anastasescu, M.M. Radu, I. Balint, C. Negrila, T. Spataru, A. Fujishima. The improvement of SiO₂ nanotubes electrochemical behaviour by hydrogen atmosphere treatment. *Applied Surface Science*, 444 (2018) 216–223, I.F. = 4.439;
8. T. Spataru, M. M. Radu, N. Spataru, A. Fujishima. Voltammetric determination of N-hydroxysuccinimide at conductive diamond electrodes. *Analyst*, 143 (2018) 2356–2362, I.F. = 3.885;
9. F. Cimpoesu, T. Spataru, C.M. Buta, H. Borrmann, O. G. Moga, M. Fierbinteanu. Spin coupling and magnetic anisotropy in 1D complexes with manganese (III) units and carboxylate bridges—synthesis, analysis, calculations, and models. *European Journal of Inorganic Chemistry*, 12 (2018) 1409–1418, I.F. = 2.507;
10. C. Anastasescu, C. Negrila, D. G. Angelescu, I. Atkinson, M. Anastasescu, N. Spataru, M. Zaharescu, I. Balint. Particularities of photocatalysis and formation of reactive oxygen species on insulators and semiconductors: cases of SiO₂, TiO₂ and their composite SiO₂-TiO₂. *Catalysis Science & Technology*, 8 (2018) 5657–5668, I.F. = 5.365;
11. M. Marcu, L. Preda, T. Spataru, J. Calderon Moreno, P.Osiceanu, and N. Spataru. Anodic Voltammetry of Epinephrine at Graphene-Modified Conductive Diamond

- Electrodes and Its Analytical Application. *J. Electrochem. Soc.*, 2018, 165(11); B 515-522, I.F.=3.66;
12. C. Vasilescu, S. I. Drob, J. M. Calderon Moreno, P. Drob, M. Popa, E. Vasilescu. Surface Protection Obtained by Anodic Oxidation of New Ti-Ta-Zr Alloy. *Corros. Sci. Technol.*, 17 (2), 45 – 53, 2018, I.F.=1.45
 13. Y. Bédouin, D. M. Gordin, P. Pellen-Mussi, F. Pérez, S. Tricot, C. Vasilescu, S. I. Drob, D. Chauvel-Lebret, T. Gloriant. Enhancement of the biocompatibility by surface nitriding of a low modulus titanium alloy for dental implant applications. *Biomed. Mater. Res. B. Appl. Biomater.*, <http://dx.doi.org/10.1002/jbm.b.34240>, I.F.=3.37;
 14. I. Bunoiu, M. Mindroiu, C. C. Manole, M. Andrei, A. Nicoara, E. Vasilescu, M. Popa, A. C. Didilescu. Electrochemical testing of a novel alloy in natural and artificial body fluids. *Annals of Anatomy - Anatomischer Anzeiger*, 217, 2018, p. 54-59, I.F.=1.85;
 15. F. Branzoi, Z. Pahom, G. Nechifor. Corrosion protection of new composite polymer coating for carbon steel in sulfuric acid medium by electrochemical methods. *Journal of Adhesion Science and Technology*, 32 (21), 2018, 2364-2380, I.F. =1.31;
 16. A. M. Popescu, K. Yanushkevich, V. Soare, C. Donath, E. I. Neacsu, V. Constantin*. Recovery of metals from anodic dissolution slime of electric and electronic waste (WEEE) by extraction in ionic liquids. *Chem. Res. Chinese Univ.*, 34 (1). 113-118, 2018, doi: 10.1007/s40242-017-7225-4, I.F.=1.248;
 17. A. M. Popescu, V. Constantin. The electrochemistry of cerium in HTILs. *Rev.Chim.(Bucharest)* 69(1), 112-115, 2018, I.F.=1.412;
 18. V. Malyshev, A. Gab, D. Shakhnin, C. Donath, E.I. Neacșu, A.M.Popescu,V. Constantin. High temperature ionic liquids electrosynthesis of Mo₂C protective coatings on diamond, boron nitride, silicon and boron carbide. *Rev.Chim.(Bucharest)*, 69(3), 544-548, 2018, I.F.=1.412;
 19. V. Malyshev, A. Gab, D. Shaknin, C. Donath, E. I. Neacsu, A. M. Popescu V. Constantin. Influence of electrolysis parameters on deposits composition and structure in tungstate, molybdate and tungstate-molybdate melts. *Rev.Chim.(Bucharest)*, 69(9), 2411-2415, 2018, I.F.=1.412;
 20. E. I. Neacsu, V. Constantin, C. Donath, K. Yanushkevich, A. Zhivulka, A. Galyas, O. Demidenko, A. M. Popescu. Study of the crystal structure, magnetic properties, surface morphology and corrosion resistance of the modified steels for special applications. *Rev.Chim.(Bucharest)*, 69(10), 2018, I.F.=1.412;

2017

1. C. Lete, B. Lakard, J.-Y. Hihn, F. J. del Campo, S. Lupu. Use of sinusoidal voltages

- with fixed frequency in the preparation of tyrosinase based electrochemical biosensors for dopamine electroanalysis. Sensors and Actuators B: Chemical, 240, 2017, 801-809 I.F.=5.4;
2. F. Branzoi, Z. Pahom, V. Branzoi. The electrochemical behaviour of some composite coatings with different additives obtained by electrodeposition on metallic substrate. Rev. Roum. Chim., 2017, 62(12), 957-971, I.F.=0.35;
 3. L. Preda, T. Kondo, T. Spataru, M. Marin, M. Radu, P. Osiceanu, A. Fujishima, N. Spataru. Enhanced Activity for Methanol Oxidation of Platinum Particles Supported on Iridium Oxide Modified Boron-Doped Diamond Powder. ChemElectroChem 2017, 4, 1–9, I.F.=4.136;
 4. F. Neațu, M. M. Trandafir, M. Marcu^{*}, L. Preda, J. M. Calderon-Moreno, Șt. Neațu, S. Somacescu, M. Florea. Potential Application of Ni and Co stabilized zirconia as Oxygen Reduction Reaction Catalyst. Catalysis Communications 93 (2017) 37–42, I.F.= 3.33;
 5. T. Spataru, T. Kondo, C. Anastasescu, I. Balint, P. Osiceanu, C. Munteanu, N. Spataru, A. Fujishima. Silica veils-conductive diamond powder compositea new propitious substrate for platinum electrocatalysts. J. Solid State Electrochem, 21 (2017) 1007-1014., I.F.=2.316;
 6. M. F. Ijaz, C. Vasilescu, S. I. Drob, P. Osiceanu, M. Marcu, H. Y. Kim, S. Miyazaki, D. M. Gordin, T. Gloriant. Electrochemical characterization of the superelastic (Ti-Zr)-Mo-Sn biomedical alloy displaying a large recovery strain. Mater. Corros., 68 (11), 1220 – 1227, 2017, I.F.=1.26;
 7. C. Vasilescu, S. I. Drob, P. Osiceanu, J. M. Calderon Moreno, M. Prodana, D. Ionita, I. Demetrescu, M. Marcu, I. A. Popovici and E. Vasilescu. Microstructure, Surface Characterization and Electrochemical Behavior of New Ti-Zr-Ta-Ag Alloy in Simulated Human Electrolyte. Metall. Mater. Trans. A, 48A (1), 513-523, 2017, I.F.=1.874;
 8. J.M. Calderon Moreno, P. Drob, C. Vasilescu, S.I. Drob, M. Popa, E. Vasilescu. Oxide nanolayers grown on new ternary Ti based alloy surface by galvanic anodizing - characteristics and anticorrovive properties. Corrosion Science and Technology, 16, (2017), 257-264; I.F.=1.128
 9. C. Vasilescu, P. Osiceanu, J. M. Calderon Moreno, S. I. Drob, S. Preda, M. Popa, I. Dan, M. Marcu, M. Prodana, I. A. Popovici, D. Ionita, E. Vasilescu. Microstructure, surface characterization and long-term stability of new quaternary Ti-Zr-Ta-Ag alloy for implant use. Mat. Sci. Eng. C., 48 (1), 322-334, 2017, I.F.=4.164;
 10. F. Branzoi, V. Branzoi. Investigation of Some Nonionic Surfactants as Corrosion Inhibitors for Carbon Steel in Sulfuric Acid Medium. Int. J. Electrochem. Sci., 12 (2017) 7638 – 7658, doi: 10.20964/2017.08.27, I.F.=1.7;

11. F. Branzoi, M. Iordoc, V. Branzoi. EVALUATION OF CORROSION BEHAVIOUR AND SURFACE CHARACTERIZATION FOR SOME BIOMEDICAL MATERIALS. *Rev. Roum. Chim.*, 2017, 62(12), 923-931, I.F.=0.35;
12. AM.Popescu, C.Donath, E.I.Neacsu, V. Soare, I. Constantin, M. Burada, V. Dumitrescu, K. Yanushkevich, V. Constantin. The use of deep eutectic solvents ionic liquids for selective dissolution and recovery of Sn, Pb and Zn from electric and electronic waste (WEEE). *Rev.Chim.(Bucharest)*, 68(9),1963-1968, 2017 ; I.F.=1.232;

2016

1. C. Lete, D. Berger, C. Matei, S. Lupu. Electrochemical and microgravimetric studies of poly[3,4-ethylenedioxythiophene-tyrosinase biocomposite material electrodeposited onto gold electrodes by a sinusoidal voltages method. *J. Solid State Electrochem.*, 20 (11), 2016, 3043-3051, I.F.= 2.327;
2. E.M. Anghel, M. Marcu, A. Banu, I. Atkinson, A. Paraschiv, S. Petrescu. Microstructure and oxidation resistance of a NiCrAlY/Al₂O₃-sprayed coating on Ti-19Al-10Nb-V alloy. *Ceramics International* 42 (2016) 12148–12155, I.F.=2.98;
3. A. Banu, M. Marcu, S. Petrescu, N. Ionescu A. Paraschiv. Effect of Niobium alloying level on oxidation behavior of Titanium Aluminides at 850 °C. *International Journal of Minerals, Metallurgy and Materials*, 23, 2016, 1452-1457, I.F.=1.2;
4. A.I. Căciuleanu, T. Spătaru, L. Preda, M. Anastasescu, P. Osiceanu, C. Munteanu, R. D. Bărătoiu, A.A. Iovescu, N. Spătaru. Platinum-carbon electrocatalytic composites via liposome-directed electrodeposition at conductive diamond. *International Journal of Hydrogen Energy*, 41 (2016) 22529—22537. I.F. = 3.205;
5. M. Andrei, B. Galateanu, A. Hudita, M. Costache, P. Osiceanu, J. M. Calderon Moreno, S. I. Drob, I. Demetrescu. Comparing electrochemical and biological performance of a new CoCrNbMoZr alloy with commercial CoCrMo alloy. *Mater. Sci. Eng. C*, 59, 2016, 346-355, I.F.= 3.51;
6. C. Vasilescu, S. I. Drob, M. Popa, J. M. Calderon Moreno, M. Anastasescu, M. Marcu. Electrochemical and surface characterization of a new Ti-Ta-Zr alloy covered with biomimetic bovine serum albumin. *Int. J. Electrochem. Sci.* 11, 2016, 7076-7088, I.F.= 1.69;
7. P. Castany, D. M. Gordin, S. I. Drob, C. Vasilescu, V. Mitran, A. Cimpean, T. Gloriant. Deformation Mechanisms and Biocompatibility of the Superelastic Ti-23Nb-0.7Ta-2Zr-0.5N Alloy, *Shap. Mem. Superelasticity*. 2 (1), 18-28, 2016; I.F.=2.25

8. T. Spătaru, L. Preda, P. Osiceanu, C. Munteanu, M. Marcu, C. Lete, N. Spătaru, A. Fujishima “Electrochemical deposition of Pt–RuO_x·nH₂O composites on conductive diamond and its application to methanol oxidation in acidic media” – *Electrocatalysis*, 7 (2016) 140–148; IF = 2.367

2015

1. M. Marcu, A. Banu, E.M. Anghel, A. Paraschiv, Corrosion Behavior of a Thermally Oxidized Orto-Titanium Aluminide in Synthetic Seawater, *Int. J. Electrochem. Sci.*, 10 (2015), 8284 – 8297, I. F.=1.69;
2. C. Vasilescu, S. I. Drob, Jose Maria Calderon Moreno, P.Osiceanu, M. Popa, E. Vasilescu, M. Marcu, P. Drob, Long-term corrosion resistance of new Ti-Ta-Zr alloy in simulated physiological fluids by electrochemical and surface analysis methods, *Corrosion Science*, 93, 2015, 310–323, I.F. = 5.154;
3. T. Spătaru, L. Preda, C. Munteanu, A.I. Căciuleanu, N. Spătaru, A. Fujishima, Influence of boron-doped diamond surface termination on the characteristics of titanium dioxide anodically deposited in the presence of a surfactant, *Journal of the Electrochemical Society*, 162 (2015) H535-H540, I.F. = 3.266;
4. C. Anastasescu, N. Spataru, D. Culita, I. Atkinson, T. Spataru, V. Bratan, C. Munteanu, M. Anastasescu, C. Negrila, I. Balint, Chemically assembled light harvesting CuOx–TiO₂ p–n heterostructures, *Chemical Engineering Journal*, 281 (2015) 303-311, I.F. = 4.321;
5. Lazarescu, V; Toader, AM; Enache, M; Preda, L; Anastasescu, M; Dobrescu, G; Negrila, C; Lazarescu, MF. Field - dipole interactions in L-cysteine-thiolate self assembled at p- and n-GaAs(100) electrodes, *Electrochim. Acta*, 176, 112-124 (2015), I.F. = 4.8;
6. V. Mitran, C. Vasilescu, S. I. Drob, P. Osiceanu, J. M.Calderon-Moreno, M.C. Tabirca, D.-M. Gordin,T. Gloriant, A. Cimpean, Biological Behaviour and Enhanced Anticorrosive Performance of the Nitrided Superelastic Ti-23Nb-0.7Ta-2Zr-0.5N Alloy , BioMed Research International, 2015, Article ID 261802;
7. C. Vasilescu, S. I. Drob,P. Osiceanu, P. Drob, J. M. Calderon Moreno, S. Preda, S. Ivanescu, E. Vasilescu, Surface analysis, microstructural, mechanical and electrochemical properties of new Ti-15Ta-5Zr alloy, *Met. Mater. Int.*, 21(2) 242-250 2015, I.F. = 1.97;
8. M. Popa, C. Vasilescu, S. I. Drob, J. Hmeljak, A. Coer, J. M. Calderon Moreno,Long-term corrosion behaviour and biocompatibility testing of titanium based alloy covered with nano-crystalline hydroxyapatite, *acceptata Mater. Corros.*, 66(6) 562-572, 2015, I.F = 1.45;

9. C. Vasilescu, S. I. Drob, P. Osiceanu, J. M. Calderon-Moreno, P. Drob, E. Vasilescu, Characterisation of passive film and electrochemical behaviour of a new Ti-Ta-Zr alloy in artificial oral media: in time influence of pH and fluoride ion content, Mater. Corros., 66(9) 971-981 2015, I.F. = 1.45;
10. S. I. Drob, C. Vasilescu, P. Drob, E. Vasilescu, D. M. Gordin, T. Gloriant, Corrosion behaviour of nitrogen-implantation Ti-Ta-Nb alloy in physiological solutions simulating real conditions from human body, JOM, 64(4), 818-829, 2015, I.F. = 1.798;
11. C. Lete, B. Gadgil, C. Kvarnström, The electrochemistry of copolymer films based on azulene and 3 thiophene acetic acid, J. Electroanal.Chem., 742, 30-36, 2015 I.F.=2.82;
12. S. Lupu, C. Lete, F. Javier del Campo, Dopamine electroanalysis using electrochemical biosensors prepared by a sinusoidal voltage method, Electroanalysis, 27, 1-12, 2015, I.F.=2.53;
13. C. Lete, S. Lupu, B.Lakard, J.-Y. Hihn, F. Javier del Campo, Multi-analyte determination of dopamine and catechol at single-walled carbon nanotubes - conducting polymer - tyrosinase based electrochemical biosensors, J. Electroanal.Chem., 744, 53-61, 2015 I.F.=2.82;
14. C. Lete, F. Teodorescu, E. M. Anghel, S. Lupu, T. Spataru,The influence of supporting electrolyte on electrochemical properties of copolymer films based on azulene and 3 thiophene acetic acid, J. Solid State Electrochem., 19, 1875-1883, 2015, I.F.= 2.44;
15. F. Maxim, D. Berger, F. Teodorescu, C. Hornoiu, C. Lete, S. Tanasescu, Low-temperature synthesis, thermodynamic and electrical properties of barium titanate nanorods”, Journal of Nanomaterials, DOI 10.1155/2015/827641, 2015 I.F.=1.75;